

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director  
Division of Water  
Room W264  
402 West Washington Street  
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water  
Room W264  
402 West Washington Street  
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-23550

Stream : Rock Creek

Applicant : Bill and Lauri Engleman  
2901 Grange Hall Road  
Corydon, IN 47112-8256

Description : A new bridge will be constructed to carry a private drive across the stream. The new structure will be a single-span steel beam bridge with a span length of 28'. The structure will have an out-to-out length of 30' and a clear roadway width of 12'. The spill through concrete abutments will be armored with riprap placed over geotextile fabric. The abutments and piers will be skewed 10 degrees to align with streamflow. The approach roads will be elevated a maximum of 1.5' above the existing grade. Details of the project are contained in information and plans received at the Division of Water on September 30, 2005.

Location : Approximately 1500' east of the west section line and 1600' north of the south section line  
near Corydon, Harrison Township, Harrison County  
NW¼, SW¼, SW¼, Section 31, T 3S, R 3E, Corydon West Quadrangle  
Quad Code: 3808622  
UTM Coordinates: Downstream 4228974 North, 566901 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-23551

Stream : Carmel Creek

Applicant : Woodland Country Club  
Kay Hewett  
100 Woodland Lane  
Carmel, IN 46032-3567

Description : The existing tee box at Hole 13 will be reduced in size and a 30' wide x 60' long tee box will be constructed 100' streamward of the existing tee box. The new tee box will have 1:1 sideslopes with a toe slope elevation of 801', NGVD and a top of fill elevation of 821', NGVD. The tee box will be constructed in the alignment of the existing fairway and will not result in the loss of any mature trees. Details of the project are contained in information and plans received at the Division of Water on September 30, 2005.

Location : Woodland Country Club Golf Course, along the west bank, approximately 300' south of Pine Valley Road and extending downstream 60'  
DOWNSTREAM: near Carmel, Clay Township, Hamilton County  
Section 6, T 14N, R 7E, Carmel Quadrangle  
Quad Code: 3908682  
UTM Coordinates: Downstream 4422395 North, 574670 East  
UPSTREAM: Hamilton County

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-23552

Stream : Mud Creek

Applicant : Tim Lyons  
6437 North 200 East  
Windfall, IN 46076-9234

Description : A farm pond will be constructed along the north (left) bank of Mud Creek. The irregular shaped pond will be approximately 118' by 125' by 16' deep. The excavated soil will be used to construct a berm at an approximate elevation of 844', NGVD29, around the pond to prevent runoff and floodwaters from entering the pond. Any excess excavated soil will be placed just south of the pond and will be graded and seeded. Details of the project are contained in information and plans received at the Division of Water on September 30, 2005.

Location : 6437 North 200 East; beginning at the County Road 200 East crossing and extending approximately 1000' north and 1200' east  
DOWNSTREAM: near Windfall, Wildcat Township, Tipton County  
NW¼, SW¼, Section 33, T 23N, R 5E, Greentown Quadrangle  
Quad Code: 4008548  
UTM Coordinates: Downstream 4472196 North, 587328 East  
UPSTREAM:  
UTM Coordinates: Upstream 4472041 North, 586940 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-23553

Stream : Burns Waterway

Applicant : Dune Harbor, LLC  
William J. Brandt Jr  
1947 Woodlawn Ave  
Griffith, IN 46319-1047

Description : A 6 inch diameter HDPE Pipe force main will be placed beneath Burns Waterway to provide sanitary sewer discharge from a sanitary lift station. The line will be placed by the directional bore method. It will have 10 ft of cover beneath the streambed and 15-17 ft in the banks. Details of the project are contained in information received electronically at the Division of Water on September 30, 2005.

Location : Approximately 50 feet south of US Route 12 bridge  
at Portage, Portage Township, Porter County  
NW¼, Section 36, T 37N, R 7W, Portage Quadrangle  
Quad Code: 4108752  
UTM Coordinates: Downstream 4607187 North, 485298 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-23555

Stream : Borum Run

Applicant : Decatur Parks Department  
Dwight Pierce  
231 East Monroe  
Decatur, IN 46733-1701

Description : A 2500' x 10' pedestrian path will be paved in the north (left) floodplain of the stream. The maximum height of the pavement will be 4". Details of the project are contained in information received electronically at the Division of Water on September 19, 2005, and in information and plans received at the Division of Water on September 30, 2005.

Location : At the confluence with the St Marys River and extending upstream approximately 2500'  
DOWNSTREAM: at Decatur, Washington Township, Adams County  
NE¼, NW¼, NE¼, Section 11, T 27N, R 14E, Decatur Quadrangle  
Quad Code: 4008478  
UTM Coordinates: Downstream 4520384 North, 676615 East  
UPSTREAM:  
UTM Coordinates: Upstream 4520147 North, 676088 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-23556

Stream : Bowman Creek

Applicant : Northern Indiana Public Service Company  
Ms Sidney Wuellner-Rice  
801 East 86th Street  
Merrillville, IN 46410-6271

Description : All creek water will be temporarily diverted from the outlet of the culvert below the NIPSCO facility through temporary piping back into Bowman Creek downstream of the Grand Trunk Western Railroad culvert. A series of well points will be installed to dewater the creek bed and the collected water will be piped through the Norfolk Southern culvert to a temporary water treatment facility located on the NIPSCO facility. Treated water will be discharged to the publicly owned treatment works through the sewer lines located beneath the NIPSCO facility. Approximately 900 cubic yards of soil will be excavated from the remediation area. The soil excavation will include the stream banks and sediments approximately 2' deep in the stream bed along the entire length of the stream from the Norfolk Southern culvert to the Grand Trunk Western Railroad culvert. All excavated material will be stockpiled, amended as necessary to meet transportation and disposal requirements, and loaded into trucks for transportation to an appropriate disposal facility. Geotextile fabric will be placed within the original stream channel and anchored on the banks to provide a surface for the liner material. A low permeability liner, 80 mil high density polyethylene or similar type liner, will be placed within the original stream channel on the geotextile fabric. Approximately 6" of sand will be placed on the liner to provide a protective layer for the liner and riprap will be placed over the sand layer up to the original ground elevations. The stream banks will be restored with top soil and reseeded with native species. Details of the project are contained in information and plans received at the Division of Water on October 3, 2005.

Location : North of the NIPSCO Local Operating Area Facility; beginning at the downstream end of the Norfolk Southern Railroad culvert and continuing to the upstream end of the Grand Trunk Western Railroad culvert  
DOWNSTREAM: near South Bend, Portage Township, St. Joseph County  
SE¼, NW¼, NE¼, Section 13, T 37N, R 2E, South Bend East Quadrangle  
Quad Code: 4108662  
UTM Coordinates: Downstream 4612455 North, 563543 East  
UPSTREAM:  
UTM Coordinates: Upstream 4612373 North, 563508 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

- Application # : FW-23557
- Stream : Little Pigeon Creek
- Applicant : \*Indiana Department of Transportation  
Carole Korbly Scott  
100 North Senate Avenue, Room N642  
Indianapolis, IN 46204-2249
- Description : The existing 5-span steel girder bridge carrying State Road 66 over Little Pigeon Creek will be rehabilitated by overlaying concrete, new concrete rails, end bent and bearing modifications, new approach slabs and other minor modifications on essentially the same alignment. No work is proposed in the channel. Details of the project are contained in information and plans received at the Division of Water on October 4, 2005.
- Location : At the State Road 66 creek crossing  
near Yankeetown, Anderson Township, Warrick County  
NW¼, SE¼, SE¼, Section 11, T 7S, R 8W, Yankeetown, IN-KY Quadrangle  
Quad Code: 3708783  
UTM Coordinates: Downstream 4196800 North, 476150 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10
- Application # : FW-23558
- Stream : Ohio River
- Applicant : PSI Energy Inc  
William B Taylor  
1000 East Main Street  
Plainfield, IN 46168-1765
- Description : An existing ash pond will be converted to a landfill at the Gallagher Generating Station. The pond will be dewatered and structural fill will be placed in the pond to provide a base for the landfill liner. All landfill activities will occur within the existing pond embankment. Details of the project are contained in information and plans received at the Division of Water on October 4, 2005.
- Location : Along the right (west) overbank, at river mile 610.9  
near New Albany, New Albany Township, Floyd County  
Section 15, T 3S, R 6E, New Albany, IN-KY Quadrangle  
Quad Code: 3808537  
UTM Coordinates: Downstream 4234293 North, 601355 East
- Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10



# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : FW-23560

Stream : Tippecanoe River

Applicant : NiSource  
Brian Kortum  
801 East 86th Avenue  
Merrillville, IN 46410-6271

Description : A 2" diameter plastic line will be placed beneath the Tippecanoe River to replace the corroded steel pipe that provides natural gas. The line will be placed by the directional method. It will have 4' of cover beneath the streambed and 4' in the banks, and will extend from upland to upland. Staging and installation will occur on the east side the bridge in the bridge right of way. The bore pits will be restored to the pre-disturbance ground contours following construction. Details of the project are contained in information received electronically at the Division of Water on October 5, 2005.

Location : From the town of Rochester, go east on State Route 14, go north on State Route 25. Approximately 1 mile before Talma go to bridge crossing. The project will occur adjacent and under the Tippecanoe River on the east side of the bridge crossing.  
near Talma, Newcastle Township, Fulton County  
NW¼, Section 12, T 31N, R 3E, Argos Quadrangle  
Quad Code: 4108622

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-20270

Lake : Blue Lake

Applicant : Robert and Linda Allman  
6575 East Harrold Road  
Churubusco, IN 46723-9767

Description : A 30' x 70' underwater beach will be constructed across 70' of the applicant's 150' frontage by placing a uniform 6" layer of pea gravel on the lakebed. Details of the project are contained in information and plans received at the Division of Water on September 30, 2005.

Location : 6575 East Harrold Road, Lots 1 and 2 in Frank Harrolds, Third Addition  
near Churubusco, Smith Township, Whitley County  
SW $\frac{1}{4}$ , NW $\frac{1}{4}$ , NW $\frac{1}{4}$ , Section 15, T 32N, R 10E, Churubusco Quadrangle  
Quad Code: 4108523  
UTM Coordinates: Downstream 4566900 North, 636810 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-20271

Lake : Webster Lake

Applicant : Cory and Barbara Sickafoose  
5650 West 900 South  
South Whitley, IN 46787

Description : An existing 125' by 250' channel will be dredged. Approximately 2500 cubic yards of accumulated muck and debris will be removed from the channel bed by dragline excavator to a depth of 10' below the lake's legal level at the center of the channel and sloping uniformly to a depth of 3' or less at the shoreline. The excavated material will be transported to an upland detention area where it will be dewatered before being transported to an offsite disposal area. Adequate detention time will be provided to allow suspended sediments to settle out of the decanted water. The water will not be allowed to return to the lake. Details of the project are contained in information and plans received at the Division of Water on September 30, 2005.

Location : Across the entire frontage of Governors Island Bay, Lots 17, 26, and 33 in Bocksmans Park Addition and also Lots 1-5 in Warners Lake Addition near North Webster, Tippecanoe Township, Kosciusko County E½, SE¼, Section 10, T 33N, R 7E, North Webster Quadrangle Quad Code: 4108536 UTM Coordinates: Downstream 4575640 North, 609210 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-20272

Lake : Lake Wawasee

Applicant : John Augsburger  
11447 North Ogden Point Road  
Syracuse, IN 46567

Description : An existing 16' x 26' boatwell which extends 26' landward of the legal shoreline will be dredged to a maximum depth of 5' below the lake's legal level. Details of the project are contained in information and plans received at the Division of Water on September 30, 2005.

Location : 11447 North Ogden Point Road  
near Syracuse, Turkey Creek Township, Kosciusko County  
NE¼, NW¼, SW¼, Section 14, T 34N, R 7E, Lake Wawasee Quadrangle  
Quad Code: 4108546  
UTM Coordinates: Downstream 4583910 North, 609515 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20273

Lake : Big Chapman Lake

Applicant : Raymond Egelske  
2849 East 188 Street  
Lansing, IL 60438-3401

Description : A new sheet piling seawall will be constructed across 85' of the applicant's 85' frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on October 3, 2005.

Location : 1787 Chapman Lake Drive  
near Warsaw, Plain Township, Kosciusko County  
Section 26, T 33N, R 6E, Leesburg Quadrangle  
Quad Code: 4108537

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-20274

Lake : Westler Lake

Applicant : George Gaynor  
10334 South Drake Avenue  
Chicago, IL 60655-2402

Description : An existing 80' by 340' channel will be dredged. Approximately 8' of accumulated muck and debris will be removed from the channel bed by dredging to a maximum depth of 6' below the lake's legal level at the center of the channel and sloping uniformly to a depth of 3' at the shoreline. The excavated material will be transported to an upland containment area for dewatering and disposal. Details of the project are contained in information and plans received at the Division of Water on October 3, 2005.

Location : SW of County Road 120 East and County Road 670 South  
near Valentine, Johnson Township, LaGrange County  
NE¼, SW¼, SW¼, Section 29, T 36N, R 10E, Oliver Lake Quadrangle  
Quad Code: 4108554  
UTM Coordinates: Downstream 4600394 North, 633200 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-20276

Lake : Clear Lake

Applicant : Richard M Johnston  
7609 Billingsly Woods Drive  
Fort Wayne, IN 46804-6160

Terry L and Melodie A Cornelius  
7133 County Road 11A  
Auburn, IN 46706-9561

Description : An existing 10' wide, 30' long channel connecting Clear Lake to Round Lake will be restored to its original condition to improve navigation. Approximately 3' of accumulated muck and debris will be removed from the channel bed by dredging to a depth of 5' below the average normal level of the lake at the center of the channel and sloping uniformly to a depth of 2' at the shoreline. The excavated material will be transported to an upland containment area for dewatering and disposal. Water from the containment area will not be allowed to return to the lake. Details of the project are contained in information received electronically at the Division of Water on September 28, 2005.

Location : The channel connecting Round Lake and Clear Lake  
at Clear Lake, Clear Lake Township, Steuben County  
NE¼, SE¼, SE¼, Section 18, T 38N, R 15E, Clear Lake, IN-OH-MI Quadrangle  
Quad Code: 4108467  
UTM Coordinates: Downstream 4623845 North, 679585 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

# Indiana Department of Natural Resources / Division of Water

## 30 Day Public Notice Report

---

Application # : PL-20277

Lake : Shipshewana Lake

Applicant : \*Indiana Department of Natural Resources  
Gregg McCollam  
Division of Fish & Wildlife  
402 West Washington Street, Room W273  
Indianapolis, IN 46204-2781

Description : A concrete boat ramp will be constructed along 15' of the applicant's 180' frontage. The ramp will extend 40' lakeward of the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on October 4, 2005, and

Location : Approximately 2950' east of the west section line and 300' north of the south section line  
near Shipshewana, Newbury Township, LaGrange County  
SE¼, SE¼, SW¼, Section 4, T 37N, R 8E, Shipshewana Quadrangle  
Quad Code: 4108565  
UTM Coordinates: Downstream 4615402 North, 615751 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20278

Lake : Lake Lemon

Applicant : Dave Eckrich  
6379 E Pickwick Park Drive  
Lot 56  
Syracuse, IN 46567-9759

Description : A new seawall will be constructed across 18' of the 18' frontage of the applicant along Wawasee Lake (channel) to deter shoreline erosion. The wall will consist of poured in place concrete which will be sloped on the lakeward side. It will be 48" high and will vary uniformly in thickness from 12" to 30" inches from the base to the top. The lakeward face of the wall will be (legal/average normal) shoreline. Details of the project are contained in information received electronically at the Division of Water on October 5, 2005.

Location : Northern side of Wawasee Lake on a channel, near the town of Syracuse, Indiana, in Turkey Creek township, in Kosciusko County. Legal Description:  
7-34-18 Lot 56 Pickwick Park  
near Syracuse, Turkey Creek Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11